

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	166	(ishihara.in.) and (keichiro.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 15:09
L2	12996	((("358/2.99,2.1,3.24,3.26") or 250/235 or 73/620 or 356/630 or 345/9 or 600/178 or 349/113 or (353/7,98,74,82) or (359/202,220,210,206,212,364,714,649,14,234,201,205,619,819,207,254,726,783,744)).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 15:09
L3	2088	two-dimensional and deflector and light beam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 15:09
L4	136	2 and 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 15:09
S1	87	(two-dimensional scanning).ab.	US-PGPUB; USPAT	ADJ	ON	2007/07/03 07:45
S3	3	(two-dimensional scan?).ab.	US-PGPUB; USPAT	ADJ	ON	2007/07/03 07:50
S4	11	(two-dimensional scanner).ab.	US-PGPUB; USPAT	ADJ	ON	2007/07/03 07:46
S7	2	(two-dimensional scanner) and (deflector).ab.	US-PGPUB; USPAT	ADJ	ON	2007/07/03 07:47
S8	20	(two-dimensional scanner) and (light beam).ab.	US-PGPUB; USPAT	ADJ	ON	2007/07/03 07:47
S10	1	"4434659".pn.	US-PGPUB; USPAT	ADJ	ON	2007/07/03 07:52
S11	1	"4318582".pn.	US-PGPUB; USPAT	ADJ	ON	2007/07/03 08:00
S12	36	two-dimensional scanning apparatus	US-PGPUB; USPAT	ADJ	ON	2007/07/03 07:52
S13	8	two-dimensional projector	US-PGPUB; USPAT	ADJ	ON	2007/07/03 13:17
S14	22	paper projector	US-PGPUB; USPAT	ADJ	ON	2007/07/03 13:17

S15	2038	projector and finder	US-PGPUB; USPAT	ADJ	ON	2007/07/03 13:18
S16	5	(two-dimensional scanning apparatus).ab.	US-PGPUB; USPAT	ADJ	ON	2007/10/24 15:41
S17	75	(ISHIHARA.in.) and (KEIICHIRO.in.)	US-PGPUB; USPAT	ADJ	ON	2007/10/24 15:45
S18	96	(two-dimensional) and (light beam and deflector).ab.	US-PGPUB; USPAT	ADJ	ON	2007/10/24 16:17
S19	1	"20040080799"	US-PGPUB; USPAT	ADJ	ON	2007/10/24 16:19
S20	5	"6064504"	US-PGPUB; USPAT	ADJ	ON	2007/10/24 17:31
S21	17	(two-dimensional scanning).ti.	US-PGPUB; USPAT	ADJ	ON	2007/10/24 17:35
S22	5	"6657763".pn. or "20020125352" or "6211988".pn. or "20040196571"	US-PGPUB; USPAT	ADJ	ON	2007/10/24 17:42
S23	7	"1291681" or "2004341411"	US-PGPUB; USPAT	ADJ	ON	2007/10/24 17:43
S24	0	ep "1,291,681"	US-PGPUB; USPAT	ADJ	ON	2007/10/24 17:44
S25	20	"1,291,681" or "2004341411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 17:45
S26	1240	((two-dimensional (scanner or scanning) or image displaying) (device or apparatus))	US-PGPUB; USPAT	ADJ	ON	2007/10/25 08:36
S27	394	((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and surface	US-PGPUB; USPAT	ADJ	ON	2007/10/25 08:45
S28	306	((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and surface and (tilted or shifted or angle)	US-PGPUB; USPAT	ADJ	ON	2007/10/25 15:08
S29	642	(two-dimensional scanning).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:10
S30	129	(two-dimensional scanner).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:10
S31	4319	two-dimensional and deflector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:11

S32	1910	two-dimensional and deflector and light beam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:11
S33	3602	two-dimensional and deflector and light	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:11
S34	44	two-dimensional scanning apparatus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:11
S35	15	two-dimensional projector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:11
S36	156	(ishihara.in.) and (keiichiro.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:12
S37	67	((two-dimensional and light beam and deflector).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:13
S38	423	((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:15
S39	315	((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and surface and (tilted or shifted or angle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:15

S40	25335281	((@ad<="20031014" or @rlad<="20031014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:31
S41	225	S39 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:31
S42	49	S41 and projector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 11:32
S43	171	((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and (surface with (tilted or shifted or angle))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 08:54
S44	11991	((("358/2.99,2.1,3.24,3.26") or 250/235 or 73/620 or 356/630 or 345/9 or 600/178 or 349/113 or (353/7,98,74,82) or (359/202,220,210,206,212,364,714,649,14,234,201,205,619,819,207,254,726,783,744)).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 09:31
S45	8599	((("358/2.99,2.1,3.24,3.26") or 250/235 or 73/620 or 356/630 or 345/9 or 600/178 or 349/113 or (353/7,98,74,82) or (359/202,220,210,206,212,364,714,649,14,234,201,205,619,819,207,254,726,783,744)).ccls. and (@ad<="20031014" or @rlad<="20031014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 09:32
S46	12476	((("358/2.99,2.1,3.24,3.26") or 250/235 or 73/620 or 356/630 or 345/9 or 600/178 or 349/113 or (353/7,98,74,82) or (359/202,220,210,206,212,364,714,649,14,234,201,205,619,819,207,254,726,783,744)).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/22 09:57
S47	145	(ISHIHARA KEIICHIRO).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/22 09:58
S48	44	two dimensional scanning apparatus	US-PGPUB; USPAT	ADJ	ON	2008/05/22 09:59
S49	28	two dimensional scanning apparatus and laser	US-PGPUB; USPAT	ADJ	ON	2008/05/22 09:59

S50	1	"6064504".pn.	US-PGPUB; USPAT	ADJ	ON	2008/05/22 11:05
S51	1	"20040080799".pn.	US-PGPUB; USPAT	ADJ	ON	2008/05/22 14:16
S52	1	S51 and (surface near7 tilt\$4)	US-PGPUB; USPAT	ADJ	ON	2008/05/22 14:17
S53	10443	(two dimensional) near3 scan\$4	US-PGPUB; USPAT	ADJ	ON	2008/05/22 15:36
S54	141	S53 and (tilt with surface) and (tilt with (optical or lens or lenses or frame))	US-PGPUB; USPAT	ADJ	ON	2008/05/22 15:37
S55	329	((two-dimensional (scanner or scanning) or image displaying) (device or apparatus)) and (deflector or lens or reflector) and light and surface and (tilted or shifted or angle)	US-PGPUB; USPAT	ADJ	ON	2008/05/22 15:37
S56	51	two-dimensional scanning apparatus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/22 15:37
S57	1978	two-dimensional and deflector and light beam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/22 15:38
S58	4	("6954312" or "6873466").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/18 15:04
S59	33	(US-20040075914-\$ or US-20030078477-\$).did. or (US-4434659-\$ or US-6671107-\$ or US-6232991-\$ or US-6219169-\$ or US-6064504-\$ or US-6985309-\$ or US-6657763-\$ or US-6211988-\$ or US-6246526-\$ or US-6388697-\$ or US-6601957-\$ or US-6698902-\$ or US-7176881-\$ or US-6894746-\$ or US-RE38153-\$ or US-6137602-\$ or US-6130786-\$ or US-5936596-\$ or US-5826961-\$ or US-5515122-\$ or US-5046795-\$ or US-4327959-\$ or US-4329012-\$ or US-4318582-\$ or US-4314154-\$ or US-4256364-\$).did. or (US-4180307-\$ or US-4872750-\$ or US-5844713-\$).did. or (JP-2004341411-\$).did. or (EP-1291681-\$).did.	US-PGPUB; USPAT; JPO; DERWENT	ADJ	ON	2008/12/20 13:42
S60	23	S59 and ((two same dimension\$2) or (horizontal with vertical))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 13:43
S61	0	S60 and surface vertex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 13:43

S62	4	S60 and meniscus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 13:43
S63	2	S62 and distortion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 13:45
S64	9	S60 and distortion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 13:46
S65	11	S69 and distortion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 13:46
S66	9	S65 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 13:46
S67	10	S60 and ((tilt\$3 or shift\$3) with (optical or lens or surface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 13:59
S68	4	S67 and distortion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/20 14:00
S69	1	("2004/0075914").URPN.	USPAT	ADJ	ON	2008/12/20 14:01
S70	1	"6583772".pn.	USPAT	ADJ	ON	2008/12/20 14:02

12/20/2008 3:53:40 PM

C:\Documents and Settings\JBeckley\My Documents\EAST\Workspaces\DOCKET1-20040080799_A1.wsp